

## CISC-102 FALL 2017

### HOMEWORK 4 SOLUTIONS

(1) Determine whether the mappings given below where  $f : \mathbb{R} \mapsto \mathbb{R}$  are or are not functions, and explain your decision.

(a)  $f(x) = 1/x$

$f(x) = 1/x$  is not a function from  $\mathbb{R}$  to  $\mathbb{R}$  because  $1/x$  is not defined for  $x = 0$ .

$f(x) = 1/x$  is a function from  $\mathbb{R} \setminus \{0\}$  to  $\mathbb{R}$ .

(b)  $f(x) = \sqrt{x}$

$f(x) = \sqrt{x}$  is not a function from  $\mathbb{R}$  to  $\mathbb{R}$  because  $\sqrt{x}$  is not a real number for  $x < 0$ . Furthermore,  $\sqrt{x}$  has a positive and negative value for  $x \in \mathbb{R}, x > 0$ .

We could salvage this by defining the set  $\mathbb{R}^+ = \{x : x \in \mathbb{R}, x \geq 0\}$ , and consider a function from  $\mathbb{R}^+$  to  $\mathbb{R}^+$  defined as  $f(x) = +\sqrt{x}$ .

(c)  $f(x) = 3x - 3$

Multiplication by a constant and subtraction of a constant is closed under the reals. Therefore,  $f(x) = 3x - 3$  is a function because  $3x - 3$  has a distinct image  $x \in \mathbb{R}$ .

(2) Determine whether each of the following functions from  $\mathbb{R}$  to  $\mathbb{R}$  is a bijection, and explain your decision. HINT: Plotting these functions may help you with your decision.

(a)  $f(x) = 3x + 4$

$f(x) = 3x + 4$  is an onto function. Consider the equation  $y = 3x + 4$ . For every real valued  $y$  we can find a real valued  $x$ , that is  $x = y/3 - 4$ .  $f(x) = 3x + 4$  is a one-to-one function because, if  $3x_1 + 4 = 3x_2 + 4$  then  $x_1 = x_2$ . Therefore we can conclude that  $f(x) = 3x + 4$  is a bijection. Furthermore we have


$$f^{-1}(x) = x/3 - 4$$

(b)  $f(x) = -x^2 + 2$


$f(x) = -x^2 + 2$  is not a bijection. It is neither onto ( $f(x) \leq 2$ ) nor one-to-one ( $f(x) = 0$  for  $x = +\sqrt{2}$  and for  $x = -\sqrt{2}$ ).

(c)  $f(x) = x^3 - x^2$


$f(x) = x^3 - x^2$  is not a bijection. It is not one-to-one because  $x^3 - x^2 = x^2(x - 1)$  and is equal to 0 for  $x = 1$ , and  $x = 0$ .




(a)




(b)




(c)



(d)



(e)



(f)

FIGURE 1. Graphs of functions for questions 1 and 2. (a)  $1/x$  (b)  $\sqrt{x}$   
 (c)  $3x - 3$  (d)  $3x + 4$  (e)  $-x^2 + 2$  (f)  $x^3 - x^2$

(3) Consider the recursive function  $T(1) = 1, T(n) = T(n - 1) + 1$ , for all  $n \geq 2$ .

(a) Use the recursive definition to obtain values  $T(2)$ ,  $T(3)$ , and  $T(4)$ .

$$T(2) = 2, T(3) = 3, T(4) = 4.$$

(b) Using the values that you obtained for  $T(2)$ ,  $T(3)$ , and  $T(4)$ , to guess the value of  $T(n)$ , and then prove that it is correct using induction.

We guess that  $T(n) = n$ , and prove this using mathematical induction.

Let  $P(n)$  denote the proposition that the recursive function  $T(n)$  as defined above has the closed form solution  $T(n) = n$ .

$P(n)$  is true for all  $n \in \mathbb{N}$ .

**Proof:** We use mathematical induction.

**Base:**  $T(1) = 1$  by definition.

**Induction Hypothesis:** Assume that  $P(k)$  is true for some  $k, k \geq 1$ , that is,  $T(k) = k$ .

**Induction Step:**  $P(k + 1)$  is the proposition that  $T(k + 1) = k + 1$ , and we show that it is true using the induction hypothesis.

$$\begin{aligned} T(k + 1) &= T(k) + 1(\text{definition of } T(k + 1)) \\ &= k + 1(\text{induction hypothesis}) \end{aligned}$$

We have shown that  $P(k)$  true implies that  $P(k + 1)$  is true so by the principle of mathematical induction we conclude that  $P(n)$  is true for all  $n \in \mathbb{N}$ .  $\square$

(4) Consider the recursive function  $F(1) = 3, F(n) = 3F(n - 1)$ , for all  $n \geq 2$ .

(a) Use the recursive definition to obtain values  $F(2)$ ,  $F(3)$ , and  $F(4)$ .

$$F(2) = 9, F(3) = 27, F(4) = 81.$$

(b) Use the values that you obtained for  $F(2)$ ,  $F(3)$ , and  $F(4)$ , to guess the value of  $F(n)$ , and then prove that it is correct using induction.

We guess that  $F(n) = 3^n$ , and prove this using mathematical induction.

Let  $P(n)$  denote the proposition that the recursive function  $F(n)$  as defined above has the closed form solution  $F(n) = 3^n$ .

$P(n)$  is true for all  $n \in \mathbb{N}$ .

**Proof:** We use mathematical induction.

**Base:**  $F(1) = 3 = 3^1$  by definition.

**Induction Hypothesis:** Assume that  $P(k)$  is true for some  $k, k \geq 1$ , that is,  $F(k) = 3^k$ .

**Induction Step:**  $P(k + 1)$  is the proposition that  $F(k + 1) = 3^{k+1}$ , and we show that it is true using the induction hypothesis.

$$\begin{aligned} F(k + 1) &= 3F(k) \text{ (definition of } F(k + 1)) \\ &= 3(3^k) \text{ (induction hypothesis)} \\ &= 3^{k+1} \end{aligned}$$

We have shown that  $P(k)$  true implies that  $P(k + 1)$  is true so by the principle of mathematical induction we conclude that  $P(n)$  is true for all  $n \in \mathbb{N}$ .  $\square$