

Factbase Filtering Issues in an Ontology-Based Reverse Engineering Tool Integration System

Dean Jin
Dept. of Computer Science
University of Manitoba
Winnipeg, Canada
dj@cs.umanitoba.ca

James R. Cordy
School of Computing
Queen's University
Kingston, Canada
cordy@cs.queensu.ca

1. Introduction

The *Ontological Adaptive Service-Sharing Integration System (OASIS)* provides a means for reverse engineering tools to work cooperatively to share services and assist maintainers in carrying out software analysis and program comprehension tasks. OASIS makes use of specially constructed, external tool adapters and a domain ontology to facilitate integration among a set of reverse engineering tools. A proof of concept implementation of OASIS was recently carried out by researchers involved in the Software Design Ontology Project at Queen's University. This implementation was successful in sharing services among three reverse engineering tools: *ASDT* [4, 2], *Fahmy Tool* [3] and *Rigi* [5][1].

This paper provides an overview of OASIS and focuses on three issues that arise from the use of factbase filtering in the integration process.

2. OASIS Overview

In an OASIS implementation, a set of reverse engineering tools are selected to participate in an *integration*. Each tool offers a set of services to the integration that are shared among the other participants.

Figure 1 provides an architectural overview of OASIS. The components in an integration consisting of two participant tools (T_1 and T_2) are shown. An actual OASIS implementation can have any number of participants. Each tool consists of a factbase *instance* (I_1 and I_2) containing software facts whose form is dictated by a *schema* (S_1 and S_2). A set of transactions (Q_1 and Q_2) conform to the schema and operate on the instance. An OASIS implementation involves the construction of a *domain ontology* (O) and tool-specific *conceptual service adapters* (A_1 and A_2).

All the knowledge required to support service-sharing among each of the tools participating in the integration is stored in the domain ontology. It is essentially a tabularized, cross-referenced compilation of shared representational concepts and services offered by each participant in the integration. Only one domain ontology is constructed for an OASIS implementation. The conceptual service adapters (CSAs) operate as integration facilitators. One CSA is affiliated with each integration participant. Although all the CSAs have the same architecture and operational characteristics, each is tailored to handle the functional and information filtering aspects of its corresponding tool that are required to facilitate interoperability. A service offered by a tool participating in the integration can be shared only when the concepts required by the service intersect with the concepts supported by another participant tool.

3. Factbase Filtering

As we mentioned, the domain ontology has knowledge of the concepts that are shared among all the tools participating in the integration. Taken together, these concepts define a constraint-free *conceptual space*, consisting of conceptual 'slots' that factbase instances fit into. Shared services only operate on fact instances that actually fit into these conceptual slots. When a service is being shared, the CSAs for the two tools involved map all factbase instances into and out of the conceptual




Figure 1. The OASIS Architecture

space. We call this process of mapping to and from the conceptual space *filtering*. An *inFilter* maps factbase instances to the conceptual space. An *outFilter* maps conceptually represented facts in the conceptual space back to a tool factbase instance. The inFilter and outFilter used by each CSA is specially tailored to work with the representation supported by the tool the CSA corresponds to. The relationship between a factbase instance, an inFilter, an outFilter and the conceptual space is shown in Figure 2.

It is important to understand the actual filtering that is performed by each of the inFilters and outFilters. Figures 3 and 4 show the filtering that occurs for ASDT and Fahmy Tool. In each of these figures, the left column indicates the entities and relationships from the schema for the tool that take part in the filtering process. The right column shows the domain ontology concepts that make up the conceptual space. The arrows between the two columns indicate the mapping the inFilters and outFilters perform. The inFilters map from the left column to the right. The outFilters map from the right column to the left. For example, in Figure 4 the `module` entity from the Fahmy Tool schema is mapped to the concept `SubProgram` in the conceptual space. Likewise, in Figure 3 `Containment` from the conceptual space is mapped to ASDT's `contains` relationship.

A number of issues related to factbase filtering are apparent in Figures 3 and 4. In particular, we discuss *representational correspondence*, *loss of precision* and *information dilution* in the following sections.

3.1. Representational Correspondence

Representational correspondence is a significant consideration that relates to the mapping of factbase instances to the conceptual space. There are three ways that these mappings can occur:

- **One-To-One.** This mapping occurs when a tool natively represents a concept found in the conceptual space. There is no loss in representational detail in either direction as the factbase instance passes through the conceptual space. For example, 'contains' is commonly represented in the schema for reverse engineering tools and can be considered a one-to-one mapping to the `Containment` concept in the conceptual space.
- **Fanning Out.** When a single tool schema entry corresponds to multiple conceptual space concepts, we refer to the mapping as fanning out. A good example is the `usevar` relationship in Fahmy Tool (see Figure 4) which corresponds to a `Variable` entity and a `Containment` and `Use` relationship in the conceptual space. We call such a representation 'conceptually rich'. The mapping itself is *constructive*, as it yields three concepts for every `usevar` factbase instance encountered.
- **Fanning In.** In this case, multiple entities or relationships combine together to correspond to a single conceptual space concept. Fanning in is apparent in the ASDT tool (see Figure 3), where the `function` and `procedure` representations together constitute `SubProgram` in the conceptual space. This mapping is *lossy* because representational detail is lost in the mapping from ASDT to the conceptual space.




Figure 2. inFilters, outFilters and the Conceptual Space

3.2. Loss of Precision

Loss of Precision is the converse of ‘fanning in’ representational correspondence discussed in Section 3.1. It occurs when conceptually represented facts correspond to more than one representation in a local tool factbase instance. A single mapping without loss of representational detail is not possible. In this situation the OASIS implementor must decide which local tool representation more closely matches the conceptually represented fact. The outFilter for the tool must be programmed to map those conceptually represented facts to the local representation chosen.

Three examples of loss of precision can be observed in the ASDT outFilter shown in Figure 3. The **SubProgram** entity is reconciled to **procedure**, resulting in the loss of the **function** representation. The **Variable** entity is reconciled to **variable**, resulting in the loss of four entity representations: **constant**, **const parameter**, **pervasive constant** and **var parameter**. Finally, the **Use** relationship between an **<entity>** and **<Variable>** is reconciled to **read_ref**, resulting in the loss of the **write_ref** relationship representation.

The negative effects of loss of precision may be minimal. For example, loss of precision for fact instances being brought into a tool for shared-service execution is generally not a problem. The service operates only on the ‘lower precision’ facts anyway. Nevertheless, results returned from a shared-service may not make sense.


The loss of precision in an OASIS implementation may be an indicator of the need to reevaluate the domain ontology. It may be necessary to differentiate an important concept from another so that the distinction is not lost when it is mapped from the conceptual space.

3.3. Information Dilution

A very important consideration when facilitating shared-services in an OASIS implementation is the problem of *Information Dilution*. It is often the case that the user of a particular tool has expectations of a shared-service that go beyond what the service is capable of providing. Often there are very subtle differences in the representations supported by tools participating in an OASIS implementation. These representational differences affect the fact instances that get forwarded through the conceptual space to a shared-service and ultimately lead to unexpected results.


Consider the *High Level Use* service offered by Fahmy Tool. In Figure 5 (a) we see the ASDT representation of a hypothetical software system. Executing Fahmy Tool’s High Level Use service on this representation yields the results shown in Figure 5 (b). The **calls** relation between the functions **foo** and **bar** is ‘lifted’ to indicate a high level use relation (labelled **hlu**) between module 1 and module A.

Now consider a similar ASDT representation shown in Figure 5 (c). Here module 3 calls function **foo**. Since ASDT supports this representation, we can assume that this representation is not at all uncommon in the software representations



- (1) Loss of Precision: SubProgram is reconciled to procedure
- (2) Loss of Precision: Variable is reconciled to variable
- (3) Loss of Precision: Use is reconciled to calls
- (4) Loss of Precision: Use is reconciled to read_ref
- (5) The relationships `calls_indirect`, `read_ref_indirect` and `write_ref_indirect` are produced by the Slice service. The ASDT outFilter does not map conceptually represented facts from the conceptual space into these relationships.

Figure 3. In and Out Filtering ASDT Schema to the Conceptual Space



- (1) This is a special case of **Use** where each **Variable** in the range is expressed in terms of the **SubProgram** that contains it.
- (2) Although Fahmy Tool does not support the representation of variables, we are able to induce them from the **usevar** representation. Unique **Variable** instances are generated based on the name of the entity where the variable is contained. These instances are identifiable in the range of the **usevar** relationship. Each **usevar** instance generates a **Variable** and **Containment** and **Use** relationships in the conceptual space.
- (3) These constraints exist in the results of the Hide Interior service. The Fahmy Tool outFilter does not map conceptually represented facts from the conceptual space into these relationship constraints. The inFilter *does* map these fact instances into the conceptual space.
- (4) The relationship **hlu** is produced by the High Level Use service. The Fahmy Tool outFilter does not map conceptually represented facts from the conceptual space into this relationship.

Figure 4. In and Out Filtering Fahmy Tool Schema to the Conceptual Space




Figure 5. High Level Use Service (Fahmy Tool)

supported by the tool. Nevertheless, executing Fahmy Tool’s High Level Use service on this representation yields no lifted hlu relation.

In this situation, the reasons why the results are not as expected are clear. Figure 3 shows that ASDT supports the representation of **calls** relationships between **module** and **function** entities. This representation is preserved when the ASDT inFilter maps them into the conceptual space. Figure 4 shows that Fahmy Tool only supports **useproc** relationships from **module** to **module** entities. The Fahmy Tool outFilter will *not* map into Fahmy Tool all the facts in the conceptual space originally from ASDT. It is at this point that information dilution occurs. As a result, the High Level Use service yields results that the user does not expect.

Information dilution is problematic because it appears that the integration ‘works’, but the results do not appear correct, even though they are. More troublesome is the possibility that no realization is made that information dilution has occurred. The real problem in the scenario we provide above is that the ASDT user *was not warned* that information dilution had occurred and consequently the results might not be as expected.

4. Conclusion

The OASIS proof of concept implementation successfully demonstrated the feasibility of service-sharing as a means to facilitate the integration of information and services among a set of reverse engineering tools. It has also provided the opportunity to examine issues that arise as a result of the way an OASIS implementation is constructed. In this paper we have examined three areas of concern related to the factbase filtering process used by OASIS to manage the flow of information through the system. It is our hope that this paper will lead to further analysis and discussion of the strengths and weaknesses of the service-sharing approach used by OASIS to enable interoperability among reverse engineering tools.

References

- [1] Rigi Group Home Page. URL: <http://www.rigi.csc.uvic.ca/>.
- [2] J. R. Cordy and K. A. Schneider. “Architectural Design Recovery Using Source Transformation”. In *CASE’95 Workshop on Software Architecture*, Toronto, July 1995.
- [3] H. M. Fahmy, R. C. Holt, and J. R. Cordy. “Wins and Losses of Algebraic Transformations of Software Architectures”. In *Proceedings of the 16th IEEE International Conference on Automated Software Engineering (ASE’2001)*, San Diego, California, November 2001.
- [4] D. A. Lamb and K. A. Schneider. “Formalization of Information Hiding Design Methods”. In J. Botsford, A. Ryman, J. Slonim, and D. Taylor, editors, *Proceedings of the 1992 Centre for Advanced Studies Conference (CASCON’92)*, pages 201–214, Toronto, Ontario, November 1992.
- [5] H. A. Müller and K. Klashinsky. “Rigi – A system for Programming-in-the-Large”. In *Proceedings of the International Conference on Software Engineering (ICSE’88)*, pages 80–86, 1988.